




Display & Control

Products and Solutions



DSS

Stable server with hardware & software all-in-one
All-around security functionality



Model		DSS Pro	DSS Express	DSS7016-S2	DSS4004-S2	DSS4004-S2-W
Device Access	Supported Device	DVR, NVR,XVR, IPC, VDP, Alarm Host, EVS, ACR, Matrix,IVSS				
	Add Device Method	IP/Domain, Auto Register	IP,P2P	IP/Domain, Auto Register	IP	IP,P2P
	Devices No(Dahua)	1000 IP, 2000 CH	512 IP, 512 CH	500 IP, 2000 CH	512 IP, 512 CH	64 IP, 64 CH
	IP No(Onvif)	200 IP, 800 CH	64 IP, 64 CH	200 IP, 200 CH	64 IP, 64 CH	8 IP, 8 CH
	Auto-Register	500 IP, 2000 CH	/	500 IP, 2000 CH	/	/
Users	Users	200 online, 2500 users	100 online, unlimited users	200 online, 2500 users	100 online, unlimited users	10 online, unlimited users
Live Preview	Video Display Split	1/4/6/8/9/16/25/36/64				
	Max. Preview Screens	4				
	Max. Views	256				
	Features	Customized split view,Tour,Snapshot,Snapshot Continuously,Remote record ,Local Record,Audio Talk,Audio In Video,ROI(1+3Mode,1+5Mode),PTZ Control, Electronic Focus,Instant Playback,Live View in Multiple Tabs,Smart track for fisheye,Smart track for bullet				
Playback	Max. Channels	36				
	Features	Fast /Slow Playback,Snapshot,Continuous Snapshot,Local Record,Record Tag,Record Lock,Playback to the Video Wall,Drag in the timeline, Zoom of Timeline,Smart Search,POS Search				
TV Wall	Video Display Split	1/4/9/16/25/32/64				
	Features	Merge,Split Windows,Echo,Framed,Output to Video Wall Manually/Automatically,Switch the Stream,Windows Lock,Task Tour,Time Tour, Tour in Single Windows				
Other Functions	Storage	Local storage, Connect IPSAN Storage				
	E-map	Raster map, GIS map	Raster map	Raster map, GIS map	Raster map	Raster map
	Deployment	Stand-alone, Distributed, Cascade	Stand-alone	Stand-alone, Distributed	Stand-alone	Stand-alone
Minimum System Requirements for Server	CPU	E3-1220 v5@3.00GHz 3.00GHz 4core	I3-2120	/	/	/
	Memory	8GB or above	8GB or above	/	/	/
	System Disk	1TB, 500G free for DSS	200GB and higher	/	/	/
	Ethernet port	2 Ports@1000Mbps	2 Ports@1000Mbps	/	/	/
Minimum System Requirements for Client	CPU	Intel Core i3, 64 bits 4 Core Processor	I3-2120@3.20GHz	Intel Core i3, 64 bits 4 Core Processor	I3-2120@3.20GHz	I3-2120@3.20GHz
	Memory	4GB or above	4GB or above	4GB or above	4GB or above	4GB or above
	Graphics Card	Intel® HD Graphics 4400	Intel® HD Sandbridge Desktop Gra	Intel® HD Graphics 4400	Intel® HD Sandbridge Desktop Gra	Intel® HD Sandbridge Desktop Gra
	Hard Drive Capacity	100G free for DSS Control Client	50GB Free and higher	100G free for DSS Control Client	50GB Free and higher	50GB Free and higher
	Ethernet port	1000Mbps	1000Mbps	1000Mbps	1000Mbps	1000Mbps

ENABLING A SAFER SOCIETY AND SMARTER LIVING

Dahua USA

Tel: +1 (949) 679-7777
Email: sales.usa@dahuatech.com
support.usa@dahuatech.com

Dahua Mexico

Tel: +52 55 67231936
Email: sales.mx@dahuatech.com
support.mx@dahuatech.com

Dahua Colombia

Tel: +571 7446110
Email: sales.co@dahuatech.com
support.co@dahuatech.com

Dahua Brazil

Tel: +55 11 32511871
Vendas: comercial.br@dahuatech.com
Suporte Técnico: suporte.br@dahuatech.com

Dahua Perú

Tel: +511 500-8555
Email: sales.pe@dahuatech.com
support.pe@dahuatech.com

Dahua Chile

Tel: +56 232705421
Email: sales.cl@dahuatech.com
support.chile@dahuatech.com

Dahua Argentina

Email: project.ar@dahuatech.com

Dahua Panama

Email: sales.pa@dahuatech.com
Support: support.pa@dahuatech.com

Dahua Thailand

Tel: +66 2541 5188
Email: info.th@dahuatech.com
hr.th@dahuatech.com

Dahua Singapore

Tel: +65 65380952
Email: sales.sg@dahuatech.com

Dahua Turkey

Email: sales.tr@dahuatech.com
support.tr@dahuatech.com

Dahua Malaysia

Tel: +60376620731
Email: sales.my@dahuatech.com

Dahua Indonesia

Email: sales.id@dahuatech.com
support.id@dahuatech.com

Dahua S.Korea

Tel: +82 7081618889
Email: sales.kr@dahuatech.com
support.kr@dahuatech.com

Dahua India

Tel: +91 1244569100
Email: sales.india@dahuatech.com

Dahua Russia

Tel: 8 (499) 682-60-00
Email: info@dahuatech.com

Dahua Kazakhstan

Tel: +7 727 3110838
Email: sales.kz@dahuatech.com

Dahua VISION LLC

Tel: +998 (78) 1488666
E-mail: dh_uzbekistan@dahuatech.com

Dahua UK

Tel: +44(0)1628 613 500
Email: sales.uk@dahuatech.com

Dahua the Netherlands

Tel: +31 (0) 79 799 96 96
Email: sales.benelux@dahuatech.com

Dahua Iberia

Tel: +34 917649862
Email: sales.iberia@dahuatech.com

Dahua Italy

Tel: +39 362182681
Email: sales.italy@dahuatech.com

Dahua Germany

Tel: +49 211 20544121
Email: sales.de@dahuatech.com

Dahua France

+33 1 48 53 70 53
Email: sales.france@dahuatech.com

Dahua CEE & Nordic

Tel: +48 223957400
Email: dh.cen@dahuatech.com

Dahua Poland

Tel: +48 223957400
Email: biuro.pl@dahuatech.com

Dahua SRB

+38 1 (11) 4429999
Email: dh.srb@dahuatech.com

Dahua Denmark

Email: Nordic.ne@dahuatech.com

Dahua Hungary

Tel: +36 17899852
Email: sales.hu@dahuatech.com

Dahua Bulgaria

Tel: +35929950013
Email: support.bg@dahuatech.com

Dahua SRL

Email: marketing.ro@dahuatech.com

Dahua Czech

Tel: +420 225 986 001
Email: admin.cz@dahuatech.com

Dahua S. Africa

Email: sales.za@dahuatech.com

Dahua Australia

Tel: +61 299285200
Email: sales.oc@dahuatech.com

Dahua Middle East

Tel: +971 48815300
Email: sales.me@dahuatech.com
info.me@dahuatech.com

* Design and specifications are subject to change without notice.

Ver. 1, Mar. 2020

DAHUA TECHNOLOGY

No.1199 Bin'an Road, Binjiang District, Hangzhou, China. 310053
Tel: +86-571-87688883 Fax: +86-571-87688815
Email: overseas@dahuatech.com
www.dahuasecurity.com

